$\int a \sqrt{i} t a_{\scriptscriptstyle{\mathsf{M}}}$

2615 SW Trenton St.
Seattle, WA 98126
Tel: (206) 935-5423 | Fax: (206) 935-5469
www.davita.com

April 27, 2006

Janis Sigman, Manager Certificate of Need Program Office of Certification and Enforcement State of Washington Department of Health 310 Israel Road SE Tumwater, WA 98501-5447



Dear Ms. Sigman:

In accordance with WAC 246-310-080, DaVita Inc. hereby submits a letter of intent regarding its intention to apply for a certificate of need for a 21 station dialysis center in Tacoma, WA. In conformance with the requirements of WAC, the following information is provided:

A Description of the Extent of Services Proposed:

DaVita Inc. intends to establish a 21 station dialysis facility that will provide and support hemodialysis, peritoneal dialysis and home hemodialysis. The facility will be located 3401 S. 19th St., Tacoma, WA 98405.

Estimated Cost of the Proposed Project:

The capital expenditure associated with this project is estimated to be \$1,400,000.00

Description of the Service Area:

The primary service area would be all of Pierce County except the Gig Harbor area across the Tacoma Narrows Bridge.

Thank you for your support in this matter.

Monica Nemixou /w

Sincerely,

Monica Demitor Group Director